# **Safety Data Sheet**



# Section 1: Identification Of The Substance/mixture And Of The Company/undertaking

1.1. Product identifier

Product name MIDAS SPIDEREX

Internal identification A2928

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Insecticidal spray.

1.3. Details of the supplier of the safety data sheet

Supplier Quality Essential Distribution Ltd

Unit 445 Oakshott Place, Walton Summit Centre,

Bamber Bridge, Preston, Lancashire.

PR5 8AT

sales@qedgroup.co.uk

1.4. Emergency telephone number

Emergency telephone

01772 336 111

#### Section 2: Hazards Identification

# 2.1. Classification of the substance or mixture

Classification

Physical hazards Aerosol 1 - H222, H229

Health hazards Not Classified

Environmental hazards Aquatic Acute 1 - H400

Classification F+;R12. N;R50/53. R66

(67/548/EEC or 1999/45/EC)

#### 2.2. Label elements

Pictogram

Signal word

Hazard statements





Danger

EUH208 Contains PERMETHRIN. May produce an allergic reaction

H222 Extremely flammable aerosol.

H400 Very toxic to aquatic life.

H229 Pressurised container: may burst if heated

# **Safety Data Sheet**



### **Precautionary Statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

P501 Dispose of contents/container in accordance with national regulations.

P102 Keep out of reach of children.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

#### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

### Section 3: Composition/information On Ingredients

#### 3.2. Mixtures

Hydrocarbons, C11-14, n-alkanes,cyclic, <2% aromatics 60-100%

CAS number: — EC number: 926-141-6 REACH registration number: 01-

2119456620-43-xxxx

Classification Classification (67/548/EEC or 1999/45/EC)

Asp. Tox. 1 - H304 Xn;R65. R66.

HYDROCARBON PROPELLANT 10-30%

Classification Classification (67/548/EEC or 1999/45/EC)

Flam. Gas 1 - H220 F+;R12.

Press. Gas, Liquefied - H280

PERMETHRIN <1%

CAS number: 52645-53-1 EC number: 258-067-9

M factor (Acute) = 100

Classification Classification (67/548/EEC or 1999/45/EC)

Acute Tox. 4 - H302 Xn;R20/22 R43 N;R50/53

Acute Tox. 4 - H312

Skin Sens. 1 - H317 Aquatic Acute 1 - H400

Acute Tox. 3 - H331

Aquatic Chronic 1 - H410

# **Safety Data Sheet**



The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

#### Section 4: First Aid Measures

#### 4.1. Description of first aid measures

Inhalation Move affected person to fresh air and keep warm and at rest in a position

comfortable for breathing.

Ingestion Rinse mouth thoroughly with water. Do not induce vomiting. Get medical

attention if any discomfort continues.

Skin contact Wash skin thoroughly with soap and water. Get medical attention if any

discomfort continues.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open

eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical

attention if any discomfort continues.

#### 4.2. Most important symptoms and effects, both acute and delayed

General information The product contains a sensitising substance.

Inhalation May cause drowsiness or dizziness.
Ingestion May cause discomfort if swallowed.

Skin contact May cause sensitisation or allergic reactions in sensitive individuals.

Eye contact May cause discomfort.

#### 4.3. Indication of any immediate medical attention and special treatment needed

#### **Section** 5: Firefighting Measures

# 5.1. Extinguishing media

Suitable extinguishing media Extinguish with foam, carbon dioxide or dry powder.

Unsuitable extinguishing Do not use water jet as an extinguisher, as this will spread the fire.

media

#### 5.2. Special hazards arising from the substance or mixture

Specific hazards Extremely flammable aerosol. Pressurised container: may burst if heated Hazardous combustion Thermal decomposition or combustion products may include the following

products substances: Carbon monoxide (CO). Carbon dioxide (CO2).

5.3. Advice for firefighters

Protective actions during Containers close to fire should be removed or cooled with water.

firefighting

# **Safety Data Sheet**



#### SECTION 6: Accidental Release Measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Do not touch or walk into spilled material. Avoid contact with skin, eyes and clothing. Avoid inhalation of vapours. Provide adequate ventilation. If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant. Wash thoroughly after dealing with a spillage.

#### 6.2. Environmental precautions

Environmental precautions

Do not discharge into drains or watercourses or onto the ground.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Eliminate all sources of ignition. Provide adequate ventilation. Absorb spillage with inert, damp, non-combustible material. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Wash thoroughly after dealing with a spillage.

### 6.4. Reference to other sections

Reference to other sections

For personal protection, see Section 8.

### Section 7: Handling and Storage

# 7.1. Precautions for safe handling

Usage precautions

Use biocides safely. Always read the label and product information before use. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear protective clothing and gloves. Provide adequate ventilation. Use only outdoors or in a wellventilated area. Wear appropriate clothing to prevent skin contamination. Do not pierce or burn, even after use. Do not expose to temperatures exceeding 50°C/122°F. Use only outdoors or in a well-ventilated area. Provide adequate ventilation. To avoid risks to human health and the environment, comply with the instructions for use. Wash hands thoroughly after handling.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions

Store at temperatures between 4°C and 40°C. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Storage class

Flammable compressed gas storage.

# **Safety Data Sheet**



#### 7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

### SECTION 8: Exposure Controls/Personal Protection

#### 8.1. Control parameters

Occupational exposure limits
Hydrocarbons, C11-14, n-alkanes,cyclic, <2% aromatics
Long-term exposure limit (8-hour TWA): WEL 1000 mg/m³
HYDROCARBON PROPELLANT

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1750 mg/m $^3$  Short-term exposure limit (15-minute): WEL 1250 ppm 2180 mg/m $^3$ 

WEL = Workplace Exposure Limit

# 8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Eye/face protection

Provide adequate ventilation.

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Tight-fitting safety glasses. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. For users with sensitive skin, it is recommended that suitable protective gloves are worn. For exposure up to 4 hours, wear gloves made of the following material: Nitrile rubber. Rubber (natural, latex). Neoprene. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. The selected gloves should have a breakthrough time of at least 4 hours. The breakthrough time for any glove material may be different for different glove manufacturers. When used with mixtures, the protection time of gloves cannot be accurately estimated. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected.

Hygiene measures

Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse.

# **Safety Data Sheet**



### SECTION 9: Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

Appearance Aerosol.

Colour Colourless.

Odour Hydrocarbons.

pH Not applicable.

Solubility(ies) Insoluble in water.

#### 9.2. Other information

Other information Not determined.

# SECTION 10: Stability and Reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

### 10.3. Possibility of hazardous reactions

Possibility of hazardous Not determined.

reactions

products

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to

produce a hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition Thermal decomposition or combustion products may include the following

substances: Carbon dioxide (CO2). Carbon monoxide (CO).

## **SECTION 11:** Toxicological Information

### 11.1. Information on toxicological effects

Acute toxicity - inhalation

# **Safety Data Sheet**



### ATE inhalation (vapours mg/l) 1,818.82

Inhalation Vapours may cause headache, fatigue, dizziness and nausea.

Ingestion May cause discomfort if swallowed.

Skin contact The product contains a sensitising substance. May cause sensitisation or

allergic reactions in sensitive individuals.

Eye contact May cause discomfort.

Toxicological information on ingredients.

## Hydrocarbons, C11-14, n-alkanes, cyclic, <2% aromatics

Acute toxicity - oral

Acute toxicity oral 5,000.0

 $(LD_{50}mg/kg)$ 

Species Rat

ATE oral (mg/kg) 5,000.0

Acute toxicity - dermal

Acute toxicity dermal 5,000.0

 $(LD_{50}mg/kg)$ 

Species Rabbit

ATE dermal (mg/kg) 5,000.0

Acute toxicity - inhalation

Acute toxicity inhalation 5,001.0

(LC<sub>50</sub> vapours mg/l)

Species Rat

ATE inhalation (vapours mg/l) 5,001.0

Inhalation Gas or vapour in high concentrations may irritate the

respiratory system. Symptom following overexposure

may include the following: Coughing.

Ingestion May cause discomfort if swallowed.

Skin contact Liquid may irritate skin.

Eye contact Vapour or spray in the eyes may cause irritation

and smarting.

#### HYDROCARBON PROPELLANT

Acute toxicity - inhalation

Acute toxicity inhalation 21.0

(LC<sub>50</sub> vapours mg/l)

Species Rat ATE inhalation (vapours 21.0

mg/l)

# **Safety Data Sheet**



#### **PERMETHRIN**

Acute toxicity - oral

Acute toxicity oral 554.0

 $(LD_{50}mg/kg)$ 

Species Rat ATE oral (mg/kg) 554.0

Acute toxicity - dermal

Acute toxicity dermal 2,000.0

 $(LD_{50}mg/kg)$ 

Species Rat

ATE dermal (mg/kg) 2,000.0

Acute toxicity - inhalation

Acute toxicity inhalation 4.638

(LC<sub>50</sub> vapours mg/l)

Species Rat
ATE inhalation (vapours mg/l) 4.638

## SECTION 12: Ecological Information

Ecotoxicity Very toxic to aquatic life.

12.1. Toxicity

Acute toxicity - fish Not determined.

#### Ecological information on ingredients.

Hydrocarbons, C11-14, n-alkanes, cyclic, <2% aromatics

Acute toxicity - fish LC50, 96 hours, 96 hours: > 1000 mg/l, Onchorhynchus mykiss (Rainbow

trout)

Acute toxicity - aquatic EC<sub>50</sub>, 48 hours, 48 hours: > 1000 mg/l, Daphnia magna

invertebrates EC<sub>50</sub>, 48 hours: >250ppm mg/l, Daphnia magna

**PERMETHRIN** 

Acute toxicity - aquatic IC<sub>50</sub>, 72 hours: 20ppm mg/l, Algae

plants

Acute aquatic toxicity

 $LE(C)_{50}$  0.001 <  $L(E)C50 \le 0.01$ 

M factor (Acute) 100

Acute toxicity - fish LC50, 96 hours, 96 hours: 0.0089 mg/l, Poecilia reticulata (Guppy)

LC50, 96 hours, 96 hours: 0.145 mg/l, Cyprinus carpio (Common carp)

Acute toxicity - aquatic EC<sub>50</sub>, : 0.020 mg/l, Daphnia magna

invertebrates

# **Safety Data Sheet**



Acute toxicity - aquatic , 72 hours, 72 hours: > 0.011 mg/l, Scenedesmus subspicatusv

plants

Acute toxicity -  $EC_{50}$ , 3 hours, 3 hours: > 1000, Activated sludge

microorganisms

Chronic aquatic toxicity

NOEC  $0.01 < NOEC \le 0.1$ Degradability Rapidly degradable

12.2. Persistence and degradability

Persistence and degradability The product is expected to be biodegradable.

Ecological information on ingredients.

Hydrocarbons, C11-14, n-alkanes, cyclic, <2% aromatics

Persistence and degradability

The product is biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be

bioaccumulating.

12.4. Mobility in soil

Mobility The product is insoluble in water and will spread on the water surface.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB This product does not contain any substances classified as PBT or vPvB.

assessment

Ecological information on ingredients.

Hydrocarbons, C11-14, n-alkanes, cyclic, <2% aromatics

Results of PBT and vPvB This substance is not classified as PBT or vPvB according to current EU

assessment criteria.

12.6. Other adverse effects

Other adverse effects Not determined.

### **SECTION** 13: Disposible Considerations

# 13.1. Waste treatment methods

Disposal methods Disposal of this product, process solutions, residues and by-products should

at all times comply with the requirements of environmental protection and

waste disposal legislation and any local authority requirements.

# **Safety Data Sheet**



### **SECTION** 14: Transport Information

14.1. UN number

UN No. (ADR/RID) 1950 UN No. (IMDG) 1950 UN No. (ICAO) 1950

## 14.2. UN proper shipping name

Proper shipping name AEROSOLS

(ADR/RID)

Proper shipping name AEROSOLS

(IMDG)

Proper shipping name (ICAO) AEROSOLS

#### 14.3. Transport hazard class(es)

ADR/RID class 2.1 IMDG class 2.1 ICAO class/division 2.1

Transport labels



# 14.4. Packing group

ADR/RID packing group 5F

#### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



# 14.6. Special precautions for user

Tunnel restriction code (D)

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Not applicable

Annex II of MARPOL 73/78

and the IBC Code

# **Safety Data Sheet**



### **SECTION** 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Control of Substances Hazardous to Health Regulations 2002 (as amended).

EU legislation Commission Regulation (EU) No 453/2010 of 20 May 2010.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances

and mixtures (as amended).

Guidance Workplace Exposure Limits EH40.

#### 15.2. Chemical safety assessment

# **SECTION** 16: Other Information

Abbreviations and acronyms used in the safety data sheet

ATE: Acute Toxicity Estimate.

ADR: European Agreement concerning the International Carriage of

Dangerous Goods by Road.
CAS: Chemical Abstracts Service.
DNEL: Derived No Effect Level.

IATA: International Air Transport Association.
IMDG: International Maritime Dangerous Goods.

PBT: Persistent, Bioaccumulative and Toxic substance.

PNEC: Predicted No Effect Concentration.

Revision comments NOTE: Lines within the margin indicate significant changes from the previous

revision.

Previous Revision date 08/02/2016

Previous Revision 3.0

Supersedes date 04/07/2013

Risk phrases in full R12 Extremely flammable.

R20/22 Harmful by inhalation and if swallowed. R43 May cause sensitisation by skin contact.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects

in the aquatic environment.

R65 Harmful: may cause lung damage if swallowed.

R66 Repeated exposure may cause skin dryness or cracking. Hazard statements in full H220 Extremely flammable gas.

H222 Extremely flammable aerosol.

H229 Pressurised container: may burst if heated

H280 Contains gas under pressure; may explode if heated.

H302 Harmful if swallowed.

# **Safety Data Sheet**



H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH208 Contains PERMETHRIN. May produce an allergic reaction.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.